

# INSTALLATION INSTRUCTIONS

LAST UPDATE 2026	VEHICLE TYPE GRENADIER
---------------------	---------------------------

MADE IN GERMANY



# TABLE OF CONTENTS

<b>1. General</b>	3
1.1 Safety instructions	3
1.2 Scope of delivery	4
<b>2. Assembly</b>	5

## **1. GENERAL**

Thank you for purchasing a LETECH quality product. Through state-of-the-art production facilities, constant checks and regulated processes, we ensure that only flawless products leave our production.

### **1.1 SAFETY INSTRUCTIONS**

Work on the vehicle may only be carried out by trained specialists.

Work on the vehicle electrical system may only be carried out by specialists with appropriate electrical and electronic knowledge.

Before working on the vehicle electrical system, disconnect the battery.

Use suitable hoists and tools when preparing and assembling the LETECH roof storage compartment.

In general, the safety requirements of the respective workshop or country must be observed.

## 1.2 SCOPE OF DELIVERY

Roof storage compartment  
(1x)



Screw M8 x 35  
(4x)

Washers  
(4x)

Keys  
(2x)



## 2. ASSEMBLY



Remove or unscrew both covers in the trunk, located at the top left and right.

## 2. ASSEMBLY



Remove the lid of the overhead compartment and set it aside.

## 2. ASSEMBLY



Lift the roof rack into the trunk and install it using the 4 M8x35 screws and washers. Tighten to 20 Nm.

## 2. ASSEMBLY



Install the lid, position the screws, and secure the storage compartment. Tighten the screws.

## 2. ASSEMBLY



Hook the straps into the existing holes.